

Table 16B
2002 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 11/7/2003

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th % ≥95th
White, Not Hispanic								
0 - 11 Months	132	3.8	132	14.4	132	3.8	0	0.0 0.0
12 - 23 Months	71	*	71	*	71	*	0	* *
24 - 59 Months	117	0.9	117	1.7	117	12.0	117	14.5 12.0
Total	320	2.5	320	10.0	320	7.8	117	14.5 12.0
Black, Not Hispanic								
0 - 11 Months	3	*	3	*	3	*	0	* *
12 - 23 Months	6	*	6	*	6	*	0	* *
24 - 59 Months	8	*	8	*	8	*	8	* *
Total	17	*	17	*	17	*	8	* *
Hispanic								
0 - 11 Months	199	7.5	199	6.0	199	23.6	0	0.0 0.0
12 - 23 Months	77	*	77	*	77	*	0	* *
24 - 59 Months	177	1.7	177	1.7	177	22.6	177	16.4 22.6
Total	453	5.5	453	4.6	453	21.6	177	16.4 22.6
American Indian/Alaskan Native								
0 - 11 Months	11	*	11	*	11	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	6	*	6	*	6	*	6	* *
Total	18	*	18	*	18	*	6	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2002 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 11/7/2003

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th % ≥95th
Asian/Pacific Islander								
0 - 11 Months	15	*	15	*	15	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	6	*	6	*	6	*	6	* *
Total	23	*	23	*	23	*	6	* *
All Other/Unknown								
0 - 11 Months	119	4.2	119	7.6	119	15.1	0	0.0 0.0
12 - 23 Months	24	*	24	*	24	*	0	* *
24 - 59 Months	37	*	37	*	37	*	37	* *
Total	180	2.8	180	6.1	180	11.7	37	* *
Total All Race/Ethnic Groups								
0 - 11 Months	479	5.4	479	8.6	479	15.9	0	0.0 0.0
12 - 23 Months	181	5.5	181	9.4	181	11.6	0	0.0 0.0
24 - 59 Months	351	1.1	351	2.3	351	16.5	351	15.1 16.5
Total	1,011	4.0	1,011	6.5	1,011	15.3	351	15.1 16.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2002 Pediatric Nutrition Surveillance (1)
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

Page: 1
Run Date: 11/7/2003

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age (3)						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 11 Years	94	*	94	*	94	*
12 - 19 Years	94	*	94	*	94	*
Total	188	6.9	188	2.7	188	16.0 14.9
Black, Not Hispanic						
5 - 11 Years	7	*	7	*	7	*
12 - 19 Years	89	*	89	*	89	*
Total	96	*	96	*	96	*
Hispanic						
5 - 11 Years	204	6.4	204	3.4	204	17.2 25.0
12 - 19 Years	183	11.5	183	0.0	183	19.1 31.7
Total	387	8.8	387	1.8	387	18.1 28.2
American Indian/Alaskan Native						
5 - 11 Years	3	*	3	*	3	*
12 - 19 Years	1	*	1	*	1	*
Total	4	*	4	*	4	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2002 Pediatric Nutrition Surveillance (1)
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

Page: 2
Run Date: 11/7/2003

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age (3)						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Asian/Pacific Islander						
5 - 11 Years	8	*	8	*	8	*
12 - 19 Years	7	*	7	*	7	*
Total	15	*	15	*	15	*
All Other/Unknown						
5 - 11 Years	51	*	51	*	51	*
12 - 19 Years	58	*	58	*	58	*
Total	109	9.2	109	0.9	109	18.3 15.6
Total All Race/Ethnic Groups						
5 - 11 Years	367	6.5	367	3.0	367	15.3 21.5
12 - 19 Years	432	9.0	432	0.9	432	23.1 21.5
Total	799	7.9	799	1.9	799	19.5 21.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.